




- NOTES:
- 1 - HOUSING MATERIAL: GLASS FILLED POLYESTER, UL 94V-0. COLOR: BLACK
 - 2 - TERMINAL MATERIAL: PHOSPHOR BRONZE
 - 3 - SEE ADDITIONAL SHEETS FOR CHARTS, PLATINGS, AND OVERALL DIMENSIONS
 - 4 - THIS PRODUCT CONFORMS TO PS-70181.



RECOMMENDED P.C. BOARD
HOLE LAYOUT
SCALE = 4:1

SECTION E-E

DIMENSIONS SHOWN (METRIC) INCH		UNLESS OTHERWISE SPECIFIED TOLERANCES ANGULAR ± 1/2°	
INCH		METRIC	
5 PLACE	± .010	---	
2 PLACE	± .014	± 0.25	
1 PLACE	---	± 0.35	
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			
DRWG. BY	PM	CHK'D. BY	PM
APP'D. BY	PM	SCALE	10:1
FILE NAME		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INC. AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION.	
70182X1 DGN			
PART NO.		DRWG. NO.	
MOLEX INCORPORATED		SDA-70182-....	
115LEJLL 60532		SHEET NO. 1 OF 2	
U.S.A.		DATE 09/08/93	
MFG. SH.		REV. LTR.	
2 B		1 B	
A		B	
CHANGE PACK SPEC. ECN# UDT2000-0503		REVISE PLATE & BOX REL. DWG. U30572	
DMORGAN 99/12/14		09/08/93 MURPHY	
REVISIONS			
REVISE ONLY ON CAD SYSTEM			
TITLE		CONNECTOR, VERT. MOUNT DUAL ROW TOP ENTRY .100 X .100 PC TAIL GRID	

	13	12	11	10	9	8	7	6		70182	4	3	2	1										
J	CKT SIZE		PLATING: I64 PACKAGING: PK-70873-0661		PLATING: 57I PACKAGING: PK-70873-0661		PLATING: 574 PACKAGING: PK-70873-0661		PLATING: PACKAGING:						J									
I	PER ROW	TOTAL	EDP NO.	ENG NO.	EDP NO.	ENG NO.	EDP NO.	ENG NO.	EDP NO.	ENG NO.	DIM."A"		DIM."B"		I									
											INCH	MM	INCH	MM										
	02	04	15-45-0902	A-70182-0065	15-44-3602	A-70182-0129	15-44-4102	A-70182-0193			.100	2,54	.199	5,05										
	03	06	15-45-0903	A-70182-0066	15-44-3603	A-70182-0130	15-44-4103	A-70182-0194			.200	5,08	.299	7,59										
	04	08	15-45-0904	A-70182-0067	15-44-3604	A-70182-0131	15-44-4104	A-70182-0195			.300	7,62	.399	10,13										
	05	10	15-45-0905	A-70182-0068	15-44-3605	A-70182-0132	15-44-4105	A-70182-0196			.400	10,16	.499	12,67										
	06	12	15-45-0906	A-70182-0069	15-44-3606	A-70182-0133	15-44-4106	A-70182-0197			.500	12,70	.599	15,21										
	07	14	15-45-0907	A-70182-0070	15-44-3607	A-70182-0134	15-44-4107	A-70182-0198			.600	15,24	.699	17,75										
	08	16	15-45-0908	A-70182-0071	15-44-3608	A-70182-0135	15-44-4108	A-70182-0199			.700	17,78	.799	20,29										
	09	18	15-45-0909	A-70182-0072	15-44-3609	A-70182-0136	15-44-4109	A-70182-0200			.800	20,32	.899	22,83										
	10	20	15-45-0910	A-70182-0073	15-44-3610	A-70182-0137	15-44-4110	A-70182-0201			.900	22,86	.999	25,37										
	11	22	15-45-0911	A-70182-0074	15-44-3611	A-70182-0138	15-44-4111	A-70182-0202			1.000	25,40	1.099	27,91										
	12	24	15-45-0912	A-70182-0075	15-44-3612	A-70182-0139	15-44-4112	A-70182-0203			1.100	27,94	1.199	30,45										
	13	26	15-45-0913	A-70182-0076	15-44-3613	A-70182-0140	15-44-4113	A-70182-0204			1.200	30,48	1.299	32,99										
	14	28	15-45-0914	A-70182-0077	15-44-3614	A-70182-0141	15-44-4114	A-70182-0205			1.300	33,02	1.399	35,53										
	15	30	15-45-0915	A-70182-0078	15-44-3615	A-70182-0142	15-44-4115	A-70182-0206			1.400	35,56	1.499	38,07										
	16	32	15-45-0916	A-70182-0079	15-44-3616	A-70182-0143	15-44-4116	A-70182-0207			1.500	38,10	1.599	40,61										
	17	34	15-45-0917	A-70182-0080	15-44-3617	A-70182-0144	15-44-4117	A-70182-0208			1.600	40,64	1.699	43,15										
	18	36	15-45-0918	A-70182-0081	15-44-3618	A-70182-0145	15-44-4118	A-70182-0209			1.700	43,18	1.799	45,69										
	19	38	15-45-0919	A-70182-0082	15-44-3619	A-70182-0146	15-44-4119	A-70182-0210			1.800	45,72	1.899	48,23										
	20	40	15-45-0920	A-70182-0083	15-44-3620	A-70182-0147	15-44-4120	A-70182-0211			1.900	48,26	1.999	50,77										
	21	42	15-45-0921	A-70182-0084	15-44-3621	A-70182-0148	15-44-4121	A-70182-0212			2.000	50,80	2.099	53,31										
	22	44	15-45-0922	A-70182-0085	15-44-3622	A-70182-0149	15-44-4122	A-70182-0213			2.100	53,34	2.199	55,85										
	23	46	15-45-0923	A-70182-0086	15-44-3623	A-70182-0150	15-44-4123	A-70182-0214			2.200	55,88	2.299	58,39										
	24	48	15-45-0924	A-70182-0087	15-44-3624	A-70182-0151	15-44-4124	A-70182-0215			2.300	58,42	2.399	60,93										
	25	50	15-45-0925	A-70182-0088	15-44-3625	A-70182-0152	15-44-4125	A-70182-0216			2.400	60,96	2.499	63,47										
	26	52	15-45-0926	A-70182-0089	15-44-3626	A-70182-0153	15-44-4126	A-70182-0217			2.500	63,50	2.599	66,01										
	27	54	15-45-0927	A-70182-0090	15-44-3627	A-70182-0154	15-44-4127	A-70182-0218			2.600	66,04	2.699	68,55										
	28	56	15-45-0928	A-70182-0091	15-44-3628	A-70182-0155	15-44-4128	A-70182-0219			2.700	68,58	2.799	71,09										
	29	58	15-45-0929	A-70182-0092	15-44-3629	A-70182-0156	15-44-4129	A-70182-0220			2.800	71,12	2.899	73,63										
	30	60	15-45-0930	A-70182-0093	15-44-3630	A-70182-0157	15-44-4130	A-70182-0221			2.900	73,66	2.999	76,17										
	31	62	15-45-0931	A-70182-0094	15-44-3631	A-70182-0158	15-44-4131	A-70182-0222			3.000	76,20	3.099	78,71										
	32	64	15-45-0932	A-70182-0095	15-44-3632	A-70182-0159	15-44-4132	A-70182-0223			3.100	78,74	3.199	81,25										
	33	66	15-45-0933	A-70182-0096	15-44-3633	A-70182-0160	15-44-4133	A-70182-0224			3.200	81,28	3.299	83,79										
	34	68	15-45-0934	A-70182-0097	15-44-3634	A-70182-0161	15-44-4134	A-70182-0225			3.300	83,82	3.399	86,33										
	35	70	15-45-0935	A-70182-0098	15-44-3635	A-70182-0162	15-44-4135	A-70182-0226			3.400	86,36	3.499	88,87										
	36	72	15-45-0936	A-70182-0099	15-44-3636	A-70182-0163	15-44-4136	A-70182-0227			3.500	88,90	3.599	91,41										
	37	74	15-45-0937	A-70182-0100	15-44-3637	A-70182-0164	15-44-4137	A-70182-0228			3.600	91,44	3.699	93,95										
	38	76	15-45-0938	A-70182-0101	15-44-3638	A-70182-0165	15-44-4138	A-70182-0229			3.700	93,98	3.799	96,49										
	39	78	15-45-0939	A-70182-0102	15-44-3639	A-70182-0166	15-44-4139	A-70182-0230			3.800	96,52	3.899	99,03										
	40	80	15-45-0940	A-70182-0103	15-44-3640	A-70182-0167	15-44-4140	A-70182-0231			3.900	99,06	3.999	101,57										
C	PLATING CODES (I64) TIN-LEAD (Sn-Pb) ALLOY OVER ENTIRE PIN; THICKNESS=(3.75 MICROMETER)/75 MICROINCH MINIMUM; NICKEL (Ni) UNDERPLATE OVER ENTIRE PIN. (57I) SELECTIVE GOLD (Au) IN THE CONTACT AREA; THICKNESS=(0.37 MICROMETER)/15 MICROINCH MINIMUM; SELECTIVE TIN-LEAD (Sn-Pb) ALLOY IN THE PC TAIL AREA; THICKNESS=(1.88 MICROMETER)/75 MICROINCH MINIMUM; NICKEL (Ni) UNDERPLATE OVER ENTIRE PIN. (574) SELECTIVE GOLD (Au) IN THE CONTACT AREA; THICKNESS=(0.75 MICROMETER)/30 MICROINCH MINIMUM; SELECTIVE TIN-LEAD (Sn-Pb) ALLOY IN THE PC TAIL AREA; THICKNESS=(1.88 MICROMETER)/75 MICROINCH MINIMUM; NICKEL (Ni) UNDERPLATE OVER ENTIRE PIN.														C									
B															B									
A											DIMENSIONS SHOWN (METRIC) INCH UNLESS OTHERWISE SPECIFIED TOLERANCES ANGULAR ± 1/2°		∇ = 0 ▽ = 0 REVISE ONLY ON CAD SYSTEM		A									
											<table> <tr><th colspan="2">INCH</th><th>METRIC</th></tr> <tr><td>3 PLACE</td><td>± ---</td><td>---</td></tr> <tr><td>2 PLACE</td><td>± ---</td><td>± ---</td></tr> <tr><td>1 PLACE</td><td>---</td><td>± ---</td></tr> </table>	INCH		METRIC	3 PLACE	± ---	---	2 PLACE	± ---	± ---	1 PLACE	---	± ---	TITLE CONNECTOR, VERT. MOUNT, DUAL ROW (TOP ENTRY) .100 × .100 P.C. TAIL GRID MOLEX INCORPORATED L15LEJLL 60532 U.S.A. SHEET NO. 2 DATE 09/08/93 PART NO. SEE CHART FILE NAME S701B2X2.DWG THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INC. AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION.
INCH		METRIC																						
3 PLACE	± ---	---																						
2 PLACE	± ---	± ---																						
1 PLACE	---	± ---																						
13	12	11	10	9	8	7	6	5	4	3	2	1												

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Molex:

[15-44-4109](#) [15-44-4112](#) [15-45-0931](#) [15-45-0936](#) [15-44-4124](#) [15-44-4134](#) [15-45-0923](#) [15-44-4122](#) [15-44-4123](#)
[15-45-0903](#) [15-45-0918](#) [15-44-4133](#) [15-44-4135](#) [15-44-4128](#) [15-45-0927](#) [15-44-4132](#) [15-45-0913](#) [15-44-4111](#) [15-](#)
[45-0902](#) [15-45-0917](#) [15-45-0938](#) [15-45-0925](#) [15-44-4140](#) [15-45-0924](#) [15-44-4131](#) [15-45-0922](#) [15-45-0926](#) [15-44-](#)
[4121](#) [15-44-4106](#) [15-45-0919](#) [15-45-0928](#) [15-45-0915](#) [15-44-4126](#) [15-45-0916](#) [15-45-0932](#) [15-45-0934](#) [15-44-](#)
[4136](#) [15-44-4127](#)