






NOTES

- 製品詳細寸法は製品単体図面を参照して下さい。
FOR DETAIL OF CONNECTOR DIMENSIONS,PLEASE SEE THE DRAWING OF CONNECTOR ITSELF(NOT PACKAGED).
- 梱包数量：1 3 0 0 個 / リール
NUMBER OF CONNECTORS：1300PIECES/REEL
- リードテープ長さ
LEAD TAPE LENGTH



4.材料

MATERIAL

キャリアテープ：ポリスチレン(PS)


CARRIER TAPE：POLYSTYRENE

トップテープ：ポリエステル(PET)、その他


TOP TAPE:POLYESTER(PET),OTHER

リール：ポリスチレン(PS)<リサイクル材を含む>

REEL：POLYSTYRENE 〈RECYCLE MATERIAL CONTAINED〉

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION													
EC NO: 168346 DRWN: KYAMADA02 CHK'D: SAKIYAMA APPR: TKANEKO	2017/11/27 2017/11/30 2017/12/01	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION UNITS		SCALE		molex® PICO-CLASP 1.0W/B SINGLE-ROW R/A OUTER LOCK EMBSTP PKG(GOLD VERSION 0.1)					
				mm		NTS							
		ANGULAR TOL ± 3.0 °		DRWN BY		DATE							
				KYAMADA02		2017/11/27							
		4 PLACES ± 0.2		CHK'D BY		DATE							
		3 PLACES ± 0.2		SAKIYAMA		2017/11/30							
		2 PLACES ± 0.2		APPR BY		DATE		PRODUCT CUSTOMER DRAWING					
		1 PLACE ± 0.2		TKANEKO		2017/12/01							
	0 PLACES ± 0.2		DRAWING SIZE		THIRD ANGLE PROJECTION		SERIES		MATERIAL NUMBER		CUSTOMER		
	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		A3				501953		SEE CHART		GENERAL		
DOCUMENT NUMBER 5019530305-SD							DOC TYPE PSD	DOC PART 000	SHEET NUMBER 1 OF 2				
A	REV												

16幅テープ
16 WIDTH TAPE




CONNECTOR

TOP TAPE

EMBOSSSED TAPE


SECT. Y-Y







SECT. X-X

7.3	5019530505	5
6.3	5019530405	4
5.3	5019530305	3
(A)	EMBOSSSED PACKAGE	極数 CIRCUITS
	オーダー番号 ORDER NO.	
CONNECTOR SERIES NO. 501953**06		

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

EC NO: 168346 DRWN: KYAMADA02 CHK'D: SAKIYAMA APPR: TKANEKO	2017/11/27 2017/11/30 2017/12/01	GENERAL TOLERANCES (UNLESS SPECIFIED)			DIMENSION UNITS		SCALE		molex®					
		ANGULAR TOL ± 3.0 °			mm		NTS							
		4 PLACES ± 0.2			DRWN BY		DATE		PICO-CLASP 1.0W/B SINGLE-ROW R/A OUTER LOCK EMBSTP PKG(GOLD VERSION 0.1)					
		3 PLACES ± 0.2			KYAMADA02		2017/11/27							
		2 PLACES ± 0.2			CHK'D BY		DATE							
		1 PLACE ± 0.2			SAKIYAMA		2017/11/30							
		0 PLACES ± 0.2			APPR BY		DATE		PRODUCT CUSTOMER DRAWING					
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			TKANEKO		2017/12/01							
					DRAWING SIZE		THIRD ANGLE PROJECTION		SERIES		MATERIAL NUMBER		CUSTOMER	
		A			A3				501953		SEE CHART		GENERAL	
REV							DOCUMENT NUMBER		DOC TYPE		DOC PART		SHEET NUMBER	
							5019530305-SD		PSD		000		2 OF 2	


RELEASE STATUS	P1	RELEASE DATE	01.12.2017	05:25:28
----------------	----	--------------	------------	----------



番号 NO.	部品 PART	材質 MATERIAL
①	ウエハー WAFER	ポリアミド UL94V-0 色 : 自然色 POLYAMIDE, UL94V-0, COLOR:NATURAL
②	ソルダーピン SOLDER PIN	りん青銅 PHOSPHOR BRONZE 金めっき(接触部) : 0.1 MICRO METER MIN. GOLD PLATING (CONTACT AREA) 金めっき(テール部):0.05 MICRO METER MINIMUM. GOLD PLATING (TAIL AREA) ニッケルめっき(下地):1.0 MICRO METER MIN. NICKEL(UNDER PLATING)
③	ネイル NAIL	黄銅 BRASS 錫めっき:1.0 MICRO METER MIN. TIN ニッケルめっき(下地):1.0 MICRO METER MIN. NICKEL(UNDER PLATING)

NOTES.
1.嵌合相手 : 501939****
MATE WITH :501939****
2.ソルダーピン及びネイル平坦度は、0.1MAX.
SOLDER PIN AND NAIL COPLANARITY TO BE 0.1MAX.
③ 極数 = 偶数に適用
APPLY FOR CKT SIZE=EVEN

4.0	5.2	7.0	5019530505	5
3.0		6.0	5019530405	4
2.0	4.2	5.0	5019530305	3
C	B	A	EMBOSSED PACKAGE オーダー番号 ORDER NO.	極数 CIRCUITS
CONNECTOR SERIES NO. 501953**06				



嵌合寸法 (参考)
MATED DIMENSION (REF.)

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

EC NO: 168346
DRWN: KYAMADA02
CHK'D: SAKIYAMA
APPR: TKANEKO

2017/11/27
2017/11/30
2017/12/01

GENERAL TOLERANCES (UNLESS SPECIFIED)

ANGULAR TOL ± 3.0 °

4 PLACES ± 0.2

3 PLACES ± 0.2

2 PLACES ± 0.2

1 PLACE ± 0.2

0 PLACES ± 0.2

DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

DIMENSION UNITS
mm

SCALE
10:1

DRWN BY
KYAMADA02

DATE
2017/11/27

CHK'D BY
SAKIYAMA

DATE
2017/11/30

APPR BY
TKANEKO

DATE
2017/12/01

DRAWING SIZE
A3

THIRD ANGLE PROJECTION

molex®

PICO-CLASP 1.0W/B SINGLE-ROW RA
OUTER LOCK WAFER ASSY(GOLD VERSION 0.1)

PRODUCT CUSTOMER DRAWING

SERIES
501953

MATERIAL NUMBER
SEE TABLE

CUSTOMER
GENERAL

DOCUMENT NUMBER
5019530306-SD

DOC TYPE
PSD

DOC PART
000

SHEET NUMBER
1 OF 1

RELEASE STATUS	P1	RELEASE DATE	01.12.2017	05:26:15
----------------	----	--------------	------------	----------

FORMAT: lb-prod-A3
REVISION: G
DATE: 2015/12/14