



**CONNECTORS**

**STANDARD CIRCULAR CONNECTORS**



✓ Active

TE CONNECTIVITY (TE)

## T01-0550-P08-MALE PLUG CONNECTOR SOLDER

Triad 01 Connector System | Triad 01 , Triad 01 Cable Plug , Triad 01 Solder

2-1437719-7

TE Internal Number: 2-1437719-7

Alias ID: T01-0550-P08

EU RoHS Compliant

EU ELV Compliant

**Product Type** Connector

**Number of Positions** 8

**Sealable** Yes

**Shell Material** CuZn

**Wire/Cable Size (mm<sup>2</sup>)** .14

[↓](#) **PRODUCT DRAWING**  
English

[↓](#) **3D PDF**

### DOCUMENTATION

Product Drawings

**T01 MALE PLUG CONN. SOLDERVERS. 8 POS. T01 STIFTSTECKER LOETVERS. 8 POL.**

PDF (TIFF AVAILABLE)

English

**T01 MALE PLUG CONNECTOR SOLDER VERSION 3-8 POS. T01 STIFTSTECKER LOETVERSION 3-8 POL.**

PDF (TIFF AVAILABLE)

English

CAD Files

**Customer View Model**

2D\_DXF.ZIP

English

## 3D PDF

PDF

3D

### Customer View Model

3D\_IGS.ZIP

English

### Customer View Model

3D\_STP.ZIP

English

## FEATURES +

Please review product documents or [contact us](#) for the latest agency approval information.

Please Note: Use the Product Drawing for all design activity.

---

### Product Type Features

**Product Type** Connector

**Sealable** Yes

**Connector Style** Plug

**Prewired** Yes

---

### Configuration Features

**Number of Positions** 8

---

### Electrical Characteristics

**Operating Voltage (VAC)** 60

---

### Body Features

**Shell Material** CuZn

---

### Contact Features

**Contact Type** Pin

---

### Dimensions

**Wire/Cable Size (mm<sup>2</sup>)** .14

**Assembly Length (mm)** 40

---

### Usage Conditions

**Operating Temperature Range (°C)** -40 – 80

---

### Industry Standards

**UL Flammability Rating** UL 94V-2

---

Packaging Features

Packaging Quantity 25

---

**PRODUCT COMPLIANCE**



---

Statement of Compliance

**Statement of Compliance**

PDF

---